

Dwt 2/25/04

L Number	Hits	Search Text	DB	Time stamp
-	6633	(MAC OR (media ADJ1 access ADJ1 control\$1)) WITH address\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 08:24
-	✓ 15	((MAC OR (media ADJ1 access ADJ1 control\$1)) WITH address\$3) SAME ((re\$1use\$1 OR re\$1using) NEAR3 (address\$3 OR MAC\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 18:27
-	7132	freeman.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 17:55
-	✓ 11	freeman.in. AND ((MAC OR (media ADJ1 access ADJ1 control\$1)) WITH address\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 17:55
-	✓ 4	((MAC OR (media ADJ1 access ADJ1 control\$1)) WITH address\$3) AND ((internal ADJ1 use\$1) OR internal\$1use\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 17:58
-	✓ 224	((MAC OR (media ADJ1 access ADJ1 control\$1)) WITH address\$3) SAME ((duplicat\$5 OR copy\$3 OR mirror\$3 OR replica\$6) NEAR3 (address\$3 OR MAC\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 18:03
-	✓ 117	((intra ADJ1 switch\$3) OR intra\$1switch\$3 OR ISR) NEAR3 address\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 19:05
-	32989	(address\$3 NEAR2 (assign\$3 OR allocat\$4 OR reserv\$7))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:29
-	28226	(private\$1 OR local\$4 OR internal\$1 OR inside\$1 OR inward\$1 OR interior\$1 OR public\$1 OR outside\$1 OR outward\$1 OR inter\$1switch OR intra\$1switch) NEAR2 address\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 10:02
-	5888	((address\$3 NEAR2 (assign\$3 OR allocat\$4 OR reserv\$7))) AND ((private\$1 OR local\$4 OR internal\$1 OR inside\$1 OR inward\$1 OR interior\$1 OR public\$1 OR outside\$1 OR outward\$1 OR inter\$1switch OR intra\$1switch) NEAR2 address\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 08:21
-	2028	((address\$3 NEAR2 (assign\$3 OR allocat\$4 OR reserv\$7))) SAME ((private\$1 OR local\$4 OR internal\$1 OR inside\$1 OR inward\$1 OR interior\$1 OR public\$1 OR outside\$1 OR outward\$1 OR inter\$1switch OR intra\$1switch) NEAR2 address\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 08:21
-	✓ 772	((address\$3 NEAR2 (assign\$3 OR allocat\$4 OR reserv\$7))) SAME ((private\$1 OR local\$4 OR internal\$1 OR inside\$1 OR inward\$1 OR interior\$1 OR public\$1 OR outside\$1 OR outward\$1 OR inter\$1switch OR intra\$1switch) NEAR2 address\$3) AND (370/\$6.ccls. OR 709/\$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 08:22
-	18158	(MAC OR (media ADJ1 access ADJ1 control\$1) OR manufactur\$4) WITH address\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 08:25

-	79077	(MAC OR (media ADJ1 access ADJ1 control\$1) OR manufactur\$4 OR (layer NEAR1 ("2" OR two)) OR OUI OR ISR OR Ethernet OR switch\$3 OR intra\$1switch\$3) WITH address\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 08:28
-	38332	(MAC OR (media ADJ1 access ADJ1 control\$1) OR manufactur\$4 OR (layer NEAR1 ("2" OR two)) OR OUI OR ISR OR Ethernet OR hardware OR (link ADJ1 layer\$1) OR switch\$3 OR intra\$1switch\$3) NEAR3 address\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:19
-	✓395	((MAC OR (media ADJ1 access ADJ1 control\$1) OR manufactur\$4 OR (layer NEAR1 ("2" OR two)) OR OUI OR ISR OR Ethernet OR hardware OR (link ADJ1 layer\$1) OR switch\$3 OR intra\$1switch\$3) NEAR3 address\$3) AND ((address\$3 NEAR2 (assign\$3 OR allocat\$4 OR reserv\$7))) SAME ((private\$1 OR local\$4 OR internal\$1 OR inside\$1 OR inward\$1 OR interior\$1 OR public\$1 OR outside\$1 OR outward\$1 OR inter\$1switch OR intra\$1switch) NEAR2 address\$3) AND (370/\$6.ccls. OR 709/\$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:19
-	2402	((address\$3 NEAR2 (assign\$3 OR allocat\$4 OR reserv\$7))) SAME ((MAC OR (media ADJ1 access ADJ1 control\$1) OR manufactur\$4 OR (layer NEAR1 ("2" OR two)) OR OUI OR ISR OR Ethernet OR hardware OR (link ADJ1 layer\$1) OR switch\$3 OR intra\$1switch\$3) NEAR3 address\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:29
-	1105	((address\$3 NEAR2 (assign\$3 OR allocat\$4 OR reserv\$7))) SAME ((MAC OR (media ADJ1 access ADJ1 control\$1) OR manufactur\$4 OR (layer NEAR1 ("2" OR two)) OR OUI OR ISR OR Ethernet OR hardware OR (link ADJ1 layer\$1) OR switch\$3 OR intra\$1switch\$3) NEAR3 address\$3) AND (370/\$6.ccls. OR 709/\$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:32
-	537	((address\$3 NEAR2 (assign\$3 OR allocat\$4 OR reserv\$7))) SAME ((MAC OR (media ADJ1 access ADJ1 control\$1) OR manufactur\$4 OR (layer NEAR1 ("2" OR two)) OR OUI OR ISR OR Ethernet OR hardware OR (link ADJ1 layer\$1) OR switch\$3 OR intra\$1switch\$3) NEAR3 address\$3) AND ((address\$3 WITH filter\$3) OR bridg\$3) AND (370/\$6.ccls. OR 709/\$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 10:23
-	✓286	((address\$3 NEAR2 (assign\$3 OR allocat\$4 OR reserv\$7))) SAME ((MAC OR (media ADJ1 access ADJ1 control\$1) OR manufactur\$4 OR (layer NEAR1 ("2" OR two)) OR OUI OR ISR OR Ethernet OR hardware OR (link ADJ1 layer\$1) OR switch\$3 OR intra\$1switch\$3) NEAR3 address\$3) AND ((MAC OR (media ADJ1 access ADJ1 control\$1) OR manufactur\$4 OR (layer NEAR1 ("2" OR two)) OR OUI OR ISR OR Ethernet OR hardware OR (link ADJ1 layer\$1) OR switch\$3 OR intra\$1switch\$3) NEAR3 address\$3) WITH (filter\$3 OR bridg\$3 OR captur\$3 OR learn\$3)) AND (370/\$6.ccls. OR 709/\$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 09:58
-	✓318	((MAC OR (media ADJ1 access ADJ1 control\$1) OR manufactur\$4 OR (layer NEAR1 ("2" OR two)) OR OUI OR ISR OR Ethernet OR hardware OR (link ADJ1 layer\$1) OR switch\$3 OR intra\$1switch\$3) NEAR3 address\$3) SAME ((conserv\$6 OR preserv\$6 OR sav\$3) NEAR3 (address\$3 OR MAC\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 10:12

-	✓ 243	((conserv\$6 OR preserv\$6) NEAR3 (address\$3 OR MAC\$1)) AND (370/\$6.ccls. OR 709/\$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 10:13
-	511	((address\$3 NEAR2 (assign\$3 OR allocat\$4 OR reserv\$7))) SAME ((MAC OR (media ADJ1 access ADJ1 control\$1) OR manufactur\$4 OR (layer NEAR1 ("2" OR two)) OR OUI OR ISR OR Ethernet OR hardware OR (link ADJ1 layer\$1) OR switch\$3 OR intra\$1switch\$3) NEAR3 address\$3) AND ((unique\$3 OR exclusive\$4) NEAR2 address\$3) AND (370/\$6.ccls. OR 709/\$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 10:25
-	812	((re\$luse\$1 OR re\$lusing) NEAR3 (address\$3 OR MAC\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 12:04
-	✓ 293	((re\$luse\$1 OR re\$lusing) NEAR3 (address\$3 OR MAC\$1)) AND (370/\$6.ccls. OR 709/\$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 12:05
-	1184	((re\$luse\$1 OR re\$lusing OR recycl\$3) NEAR3 (address\$3 OR MAC\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 12:05
-	✓ 342	((re\$luse\$1 OR re\$lusing OR recycl\$3) NEAR3 (address\$3 OR MAC\$1)) AND (370/\$6.ccls. OR 709/\$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/25 12:06